

## Publicaties 2008

Bron: Jaardocument Karakter 2008

Altink ME, Arias-Vásquez A, Franke B, Slaats-Willemsse DI, Buschgens CJ, Rommelse NN, Fliers EA, Anney R, Brookes KJ, Chen W, Gill M, Mulligan A, Sonuga-Barke E, Thompson M, Sergeant JA, Faraone SV, Asherson P, Buitelaar JK. The dopamine receptor D4 7-repeat allele and prenatal smoking in ADHD-affected children and their unaffected siblings: no gene-environment interaction. *J Child Psychol Psychiatry*. 2008 Oct;49(10):1053-60.

Altink ME, Arias-Vásquez A, Franke B, Slaats-Willemsse DI, Buschgens CJ, Rommelse NN, Fliers EA, Anney R, Brookes KJ, Chen W, Gill M, Mulligan A, Sonuga-Barke E, Thompson M, Sergeant JA, Faraone SV, Asherson P, Buitelaar JK. The dopamine receptor D4 7-repeat allele and prenatal smoking in ADHD-affected children and their unaffected siblings: no gene-environment interaction. *J Child Psychol Psychiatry*. 2008 Oct;49(10):1053-60.

Anney RJ, Lasky-Su J, O'Dúshláine C, Kenny E, Neale BM, Mulligan A, Franke B, Zhou K, Chen W, Christiansen H, Arias-Vásquez A, Banaschewski T, Buitelaar J, Ebstein R, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen H, Asherson P, Faraone SV, Gill M. Conduct disorder and ADHD: evaluation of conduct problems as a categorical and quantitative trait in the international multicentre ADHD genetics study. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1369-78.

Anney RJ, Hawi Z, Sheehan K, Mulligan A, Pinto C, Brookes KJ, Xu X, Zhou K, Franke B, Buitelaar J, Vermeulen SH, Banaschewski T, Sonuga-Barke E, Ebstein R, Manor I, Miranda A, Mulas F, Oades RD, Roeyers H, Rommelse N, Rothenberger A, Sergeant J, Steinhausen HC, Taylor E, Thompson M, Asherson P, Faraone SV, Gill M. Parent of origin effects in attention/deficit hyperactivity disorder (ADHD): analysis of data from the international multicenter ADHD genetics (IMAGE) program. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1495-500.

Asherson P, Zhou K, Anney RJ, Franke B, Buitelaar J, Ebstein R, Gill M, Altink M, Arnold R, Boer F, Brookes K, Buschgens C, Butler L, Cambell D, Chen W, Christiansen H, Feldman L, Fleischman K, Fliers E, Howe-Forbes R, Goldfarb A, Heise A, Gabriëls I, Johansson L, Lubetzki I, Marco R, Medad S, Minderaa R, Mulas F, Müller U, Mulligan A, Neale B, Rijdsdijk F, Rabin K, Rommelse N, Sethna V, Sorohan J, Uebel H, Psychogiou L, Weeks A, Barrett R, Xu X, Banaschewski T, Sonuga-Barke E, Eisenberg J, Manor I, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Taylor E, Thompson M, Faraone SV. A high-density SNP linkage scan with 142 combined subtype ADHD sib pairs identifies linkage regions on chromosomes 9 and 16. *Mol Psychiatry*. 2008 May;13(5):514-21.

Avis, A.J., Avis, W.A. (2008). Vanuit de klacht. Een wegwijzer bij kinderen met ontwikkelings- en gedragsproblemen. *Praktische pediatrie, nascholingschrift over kindergeneeskunde*, pag. 56-60.

Banaschewski T, Coghill D, Santosh P, Zuddas A, Asherson P, Buitelaar J, Danckaerts M, Döpfner M, Faraone SV, Rothenberger A, Sergeant J, Steinhausen HC, Sonuga-Barke EJ, Taylor E. [Long-acting medications for the treatment of hyperkinetic disorders – a systematic review and European treatment guideline. Part 1: overview and recommendations] *Z Kinder Jugendpsychiatr Psychother*. 2008 Mar;36(2):81-94;

Banaschewski T, Coghill D, Santosh P, Zuddas A, Asherson P, Buitelaar J, Danckaerts M, Döpfner M, Faraone SV, Rothenberger A, Sergeant J, Steinhausen HC, Sonuga-Barke EJ, Taylor E. [Long-acting medications for the treatment of hyperkinetic disorders – a systematic review and European treatment guidelines. Part 2: a quantitative evaluation of long-acting medications] *Z Kinder Jugendpsychiatr Psychother*. 2008 Mar;36(2):97-106;

Boonstra AM, Kooij JJ, Buitelaar JK, Oosterlaan J, Sergeant JA, Heister JG, Franke B. An exploratory study of the relationship between four candidate genes and neurocognitive performance in adult ADHD. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Apr 5;147(3):397-402.

Brookes KJ, Xu X, Anney R, Franke B, Zhou K, Chen W, Banaschewski T, Buitelaar J, Ebstein R, Eisenberg J, Gill M, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen HC, Taylor E, Faraone SV, Asherson P. Association of ADHD with genetic variants in the 5'-region of the dopamine transporter gene: evidence for allelic heterogeneity. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1519-23.

Brookes KJ, Neale B, Xu X, Thapar A, Gill M, Langley K, Hawi Z, Mill J, Taylor E, Franke B, Chen W, Ebstein R, Buitelaar J, Banaschewski T, Sonuga-Barke E, Eisenberg J, Manor I, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Faraone SV, Asherson P. Differential dopamine receptor D4 allele association with ADHD dependent of proband season of birth. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Jan 5;147B(1):94-9.

Buschgens CJ, van Aken MA, Swinkels SH, Altink ME, Fliers EA, Rommelse NN, Minderaa RB, Sergeant JA, Faraone SV, Buitelaar JK. Differential family and peer environmental factors are related to severity and comorbidity in children with ADHD. *J Neural Transm.* 2008;115(2):177-86

Chen W, Zhou K, Sham P, Franke B, Kuntsi J, Campbell D, Fleischman K, Knight J, Andreou P, Arnold R, Altink M, Boer F, Boholst MJ, Buschgens C, Butler L, Christiansen H, Fliers E, Howe-Forbes R, Gabriëls I, Heise A, Korn-Lubetzki I, Marco R, Medad S, Minderaa R, Müller UC, Mulligan A, Psychogiou L, Rommelse N, Sethna V, Uebel H, McGuffin P, Plomin R, Banaschewski T, Buitelaar J, Ebstein R, Eisenberg J, Gill M, Manor I, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen HC, Taylor E, Thompson M, Faraone SV, Asherson P. DSM-IV combined type ADHD shows familial association with sibling trait scores: a sampling strategy for QTL linkage. *Am J Med Genet B Neuropsychiatr Genet.* 2008 Dec 5;147B(8):1450-60.

Christiansen H, Chen W, Oades RD, Asherson P, Taylor EA, Lasky-Su J, Zhou K, Banaschewski T, Buschgens C, Franke B, Gabriëls I, Manor I, Marco R, Müller UC, Mulligan A, Psychogiou L, Rommelse NN, Uebel H, Buitelaar J, Ebstein RP, Eisenberg J, Gill M, Miranda A, Mulas F, Roeyers H, Rothenberger A, Sergeant JA, Sonuga-Barke EJ, Steinhausen HC, Thompson M, Faraone SV. Co-transmission of conduct problems with attention-deficit/hyperactivity disorder: familial evidence for a distinct disorder. *J Neural Transm.* 2008;115(2):163-75.

Dumont GJ, Verkes RJ, Buitelaar JK, van Gerven JM. Response to the comments by Cassel et al. *Psychopharmacology (Berl).* 2008 Oct;200(3):451-2.

Dumont GJ, Wezenberg E, Valkenberg MM, de Jong CA, Buitelaar JK, van Gerven JM, Verkes RJ. Acute neuropsychological effects of MDMA and ethanol (co-)administration in healthy volunteers. *Psychopharmacology (Berl).* 2008 Apr;197(3):465-74.

Fliers E, Rommelse N, Vermeulen SH, Altink M, Buschgens CJ, Faraone SV, Sergeant JA, Franke B, Buitelaar JK. Motor coordination problems in children and adolescents with ADHD rated by parents and teachers: effects of age and gender. *J Neural Transm.* 2008;115(2):211-20.

Fortuyn HA, Swinkels S, Buitelaar J, Renier WO, Furer JW, Rijnders CA, Hodiament PP, Overeem S. High prevalence of eating disorders in narcolepsy with cataplexy: a case-control study. *Sleep.* 2008 Mar 1;31(3):335-41.

Franke B, Hoogman M, Arias Vasquez A, Heister JG, Savelkoul PJ, Naber M,

Scheffer H, Kiemeny LA, Kan CC, Kooij JJ, Buitelaar JK Association of the dopamine transporter (SLC6A3/DAT1) gene 9-6 haplotype with adult ADHD. *Am J Med Genet B Neuropsychiatr Genet.* 2008 Dec 5;147B(8):1576-9.

Goethals K, Willigenburg L, Buitelaar J, Van Marle H. Behaviour problems in childhood and adolescence in psychotic offenders: an exploratory study. *Crim Behav Ment Health.* 2008;18(3):153-65.

Groen WB, Zwiens MP, van der Gaag RJ, Buitelaar JK. The phenotype and neural correlates of language in autism: an integrative review. *Neurosci Biobehav Rev.* 2008 Oct;32(8):1416-25.

Groen WB, van Orsouw L, Zwiens M, Swinkels S, van der Gaag RJ, Buitelaar JK. Gender in voice perception in autism. *J Autism Dev Disord.* 2008 Nov;38(10):1819-26.

Grootens KP, van Luijtelaar G, Miller CA, Smits T, Hummelen JW, Buitelaar JK, Verkes RJ. Increased p50 gating but intact prepulse inhibition in borderline personality disorder. *J Neuropsychiatry Clin Neurosci.* 2008 Summer;20(3):348-56.

Grootens KP, van Luijtelaar G, Buitelaar JK, van der Laan A, Hummelen JW, Verkes RJ. Inhibition errors in borderline personality disorder with psychotic-like symptoms. *Prog Neuropsychopharmacol Biol Psychiatry.* 2008 Jan 1;32(1):267-73.

Kan CC, Buitelaar JK, van der Gaag RJ. [Autism spectrum disorders in adults] *Ned Tijdschr Geneeskd.* 2008 Jun 14;152(24):1365-9.

Kooij JJ, Boonstra A, Swinkels SH, Bekker EM, de Noord I, Buitelaar JK. Reliability, validity, and utility of instruments for self-report and informant report concerning symptoms of ADHD in adult patients. *J Atten Disord.* 2008 Jan;11(4):445-58.

Kooij JS, Boonstra AM, Vermeulen SH, Heister AG, Burger H, Buitelaar JK, Franke B. Response to methylphenidate in adults with ADHD is associated with a polymorphism in SLC6A3 (DAT1). *Am J Med Genet B Neuropsychiatr Genet.* 2008 Mar 5;147B(2):201-8.

Lasky-Su J, Anney RJ, Neale BM, Franke B, Zhou K, Maller JB, Vasquez AA, Chen W, Asherson P, Buitelaar J, Banaschewski T, Ebstein R, Gill M, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen HC,

Taylor E, Daly M, Laird N, Lange C, Faraone SV. Genome-wide association scan of the time to onset of attention deficit hyperactivity disorder. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1355-8.

Lasky-Su J, Neale BM, Franke B, Anney RJ, Zhou K, Maller JB, Vasquez AA, Chen W, Asherson P, Buitelaar J, Banaschewski T, Ebstein R, Gill M, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen HC, Taylor E, Daly M, Laird N, Lange C, Faraone SV. Genome-wide association scan of quantitative traits for attention deficit hyperactivity disorder identifies novel associations and confirms candidate gene associations. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1345-54.

Marsman R, Swinkels SH, Rosmalen JG, Oldehinkel AJ, Ormel J, Buitelaar JK. HPA-axis activity and externalizing behavior problems in early adolescents from the general population: the role of comorbidity and gender The TRAILS study. *Psychoneuroendocrinology*. 2008 Jul;33(6):789-98

Medori R, Ramos-Quiroga JA, Casas M, Kooij JJ, Niemelä A, Trott GE, Lee E, Buitelaar JK. A randomized, placebo-controlled trial of three fixed dosages of prolonged-release OROS methylphenidate in adults with attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2008 May 15;63(10):981-9.

Meijs CJ, Hurks PP, Kalf AC, Slaats-Willems DI, Rozendaal N, Jolles J., Differential Development of Learning Strategies on a Pictorial Verbal Learning. Test (PVLТ) in Primary-School Children. *Child Neuropsychol*. 2008 Sep 29:1-15.

Naber F, Bakermans-Kranenburg MJ, van Ijzendoorn MH, Dietz C, van Daalen E, Swinkels SH, Buitelaar JK, van Engeland H. Joint attention development in toddlers with autism. *Eur Child Adolesc Psychiatry*. 2008 Apr;17(3):143-52.

Naber FB, Bakermans-Kranenburg MJ, van Ijzendoorn MH, Swinkels SH, Buitelaar JK, Dietz C, van Daalen E, van Engeland H. Play behavior and attachment in toddlers with autism. *J Autism Dev Disord*. 2008 May;38(5):857-66.

Neale BM, Lasky-Su J, Anney R, Franke B, Zhou K, Maller JB, Vasquez AA, Asherson P, Chen W, Banaschewski T, Buitelaar J, Ebstein R, Gill M, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Sonuga-Barke E, Mulas F, Taylor E, Laird N, Lange C, Daly M, Faraone SV. Genome-wide association scan of attention deficit hyperactivity disorder. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1337-44.

Neale BM, Sham PC, Purcell S, Banaschewski T, Buitelaar J, Franke B, Sonuga-Barke E, Ebstein R, Eisenberg J, Mulligan A, Gill M, Manor I, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Taylor E, Thompson M, Chen W, Zhou K, Asherson P, Faraone SV. Population differences in the International Multi-Centre ADHD Gene Project. *Genet Epidemiol*. 2008 Feb;32(2):98-107.

Nijmeijer JS, Minderaa RB, Buitelaar JK, Mulligan A, Hartman CA, Hoekstra PJ. Attention-deficit/hyperactivity disorder and social dysfunctioning. *Clin Psychol Rev*. 2008 Apr;28(4):692-708.

Polanczyk G, Faraone SV, Bau CH, Victor MM, Becker K, Pelz R, Buitelaar JK, Franke B, Kooij S, van der Meulen E, Cheon KA, Mick E, Purper-Ouakil D, Gorwood P, Stein MA, Cook EH Jr, Rohde LA. The impact of individual and methodological factors in the variability of response to methylphenidate in ADHD pharmacogenetic studies from four different continents. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1419-24.

Rommelse NN, Altink ME, Arias-Vásquez A, Buschgens CJ, Fliers E, Faraone SV, Buitelaar JK, Sergeant JA, Franke B, Oosterlaan J. A review and analysis of the relationship between neuropsychological measures and DAT1 in ADHD. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1536-46.

Rommelse NN, Altink ME, Arias-Vásquez A, Buschgens CJ, Fliers E, Faraone SV, Buitelaar JK, Sergeant JA, Oosterlaan J, Franke B. Differential association between MAOA, ADHD and neuropsychological functioning in boys and girls. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1524-30.

Rommelse NN, Altink ME, Oosterlaan J, Beem L, Buschgens CJ, Buitelaar J, Sergeant JA. Speed, variability, and timing of motor output in ADHD: which measures are useful for endophenotypic research? *Behav Genet*. 2008 Mar;38(2):121-32.

Rommelse NN, Altink ME, Martin NC, Buschgens CJ, Buitelaar JK, Sergeant JA, Oosterlaan J. Neuropsychological measures probably facilitate heritability research of ADHD. *Arch Clin Neuropsychol*. 2008 Sep;23(5):579-91.

Rommelse NN, Arias-Vásquez A, Altink ME, Buschgens CJ, Fliers E, Asherson P, Faraone SV, Buitelaar JK, Sergeant JA, Oosterlaan J, Franke B. Neuropsychological endophenotype approach to genome-wide linkage analysis identifies susceptibility loci for ADHD on 2q21.1 and 13q12.11. *Am J Hum Genet*. 2008 Jul;83(1):99-105.

Rommelse NN, Altink ME, Oosterlaan J, Buschgens CJ, Buitelaar J, Sergeant JA. Support for an independent familial segregation of executive and intelligence endophenotypes in ADHD families. *Psychol Med*. 2008 Nov;38(11):1595-606

Roobol TH, Buitelaar JK. [A place for SSRIs in the treatment of severely depressed children and adolescents] *Ned Tijdschr Geneeskd*. 2008 Aug 2;152(31):1710-2.

Roobol, T.H., Meerkerk-Brugge, P.C. (2008). Bureau Jeugdzorg en jeugd GGZ, Samenwerking loont. *MGV*,63, 605-612.

Roobol, T.H., Buitelaar, J.K.(2008). Plaats voor SSRIs bij de behandeling van ernstig depressieve kinderen en pubers. *NTvG*,152,1710-13

Sonuga-Barke EJ, Brookes KJ, Buitelaar J, Anney R, Bitsakou P, Baeyens D, Buschgens C, Chen W, Christiansen H, Eisenberg J, Kuntsi J, Manor I, Meliá A, Mulligan A, Rommelse N, Müller UC, Uebel H, Banaschewski T, Ebstein R, Franke B, Gill M, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Thompson M, Taylor E, Asherson P, Faraone SV. Intelligence in DSM-IV combined type attention-deficit/hyperactivity disorder is not predicted by either dopamine receptor/transporter genes or other previously identified risk alleles for attention-deficit/hyperactivity disorder. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Apr 5;147(3):316-9.

Slaats-Willemse, D.I., Geheugentraining kan gedrag verbeteren, artikel in *Aan de hand*, nr. 6 oktober 2008.

Sonuga-Barke EJ, Lasky-Su J, Neale BM, Oades R, Chen W, Franke B, Buitelaar J, Banaschewski T, Ebstein R, Gill M, Anney R, Miranda A, Mulas F, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Thompson M, Asherson P, Faraone SV. Does parental expressed emotion moderate genetic effects in ADHD? An exploration using a genome wide association scan. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Dec 5;147B(8):1359-68.

Tendolkar I, Arnold J, Petersson KM, Weis S, Brockhaus-Dumke A, van Eijndhoven P, Buitelaar J, Fernández G. Contributions of the medial temporal lobe to declarative memory retrieval: manipulating the amount of contextual retrieval. *Learn Mem*. 2008 Aug 21;15(9):611-7.

Trzepacz PT, Williams DW, Feldman PD, Wrishko RE, Witcher JW, Buitelaar JK. CYP2D6 metabolizer status and atomoxetine dosing in children and adolescents with ADHD. *Eur Neuropsychopharmacol*. 2008 Feb;18(2):79-86.

Van de Loo-Neus, G.H.H., ADHD en comorbiditeit die je niet over het hoofd moet zien. *ADHD wachtkamer special*, jaargang 5, nummer 4, december 2008.

Van de Loo-Neus, G.H.H., ADHD en comorbiditeit die je niet over het hoofd mag zien. *ADHD Actueel*, jaargang 5, nr 4, november 2008.

Van de Putte EM, Böcker KB, Buitelaar J, Kenemans JL, Engelbert RH, Kuis W, Kimpfen JL, Uiterwaal CS. Deficits of interference control in adolescents with chronic fatigue syndrome. *Arch Pediatr Adolesc Med*. 2008 Dec;162(12):1196-7.

Van der Zwaluw CS, Scholte RH, Vermulst AA, Buitelaar JK, Verkes RJ, Engels RC. Parental problem drinking, parenting, and adolescent alcohol use. *J Behav Med*. 2008 Jun;31(3):189-200.

Van Wingen G, Mattern C, Verkes RJ, Buitelaar J, Fernández G. Testosterone biases automatic memory processes in women towards potential mates. *Neuroimage*. 2008 Oct 15;43(1):114-20.

Van Wingen GA, van Broekhoven F, Verkes RJ, Petersson KM, Bäckström T, Buitelaar JK, Fernández G. Progesterone selectively increases amygdala reactivity in women. *Mol Psychiatry*. 2008 Mar;13(3):325-33.

Verhagen M, van der Meij A, Franke B, Vollebergh W, de Graaf R, Buitelaar J, Janzing JG. Familiality of major depressive disorder and gender differences in comorbidity. *Acta Psychiatr Scand*. 2008 Aug;118(2):130-8.

Verster JC, Bekker EM, de Roos M, Minova A, Eijken EJ, Kooij JJ, Buitelaar JK, Kenemans JL, Verbaten MN, Olivier B, Volkerts ER. Methylphenidate significantly improves driving performance of adults with attention-deficit hyperactivity disorder: a randomized crossover trial. *J Psychopharmacol*. 2008 May;22(3):230-7.

Wouts L, Oude Voshaar RC, Bremmer MA, Buitelaar JK, Penninx BW, Beekman AT. Cardiac disease, depressive symptoms, and incident stroke in an elderly population. *Arch Gen Psychiatry*. 2008 May;65(5):596-602.

Xu X, Hawi Z, Brookes KJ, Anney R, Bellgrove M, Franke B, Barry E, Chen W, Kuntsi J, Banaschewski T, Buitelaar J, Ebstein R, Fitzgerald M, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen HC, Faraone SV, Gill M, Asherson P. Replication of a rare protective allele in the noradrenaline transporter gene and ADHD. *Am J Med Genet B Neuropsychiatr Genet.* 2008 Dec 5;147B(8):1564-7.

Xu X, Aysimi E, Anney R, Brookes K, Franke B, Zhou K, Buschgens C, Chen W, Christiansen H, Eisenberg J, Gabriëls I, Manor I, Marco R, Müller UC, Mulligan A, Rommelse N, Thompson M, Uebel H, Banaschewski T, Buitelaar J, Ebstein R, Gill M, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Steinhausen HC, Taylor E, Faraone SV, Asherson P. No association between two polymorphisms of the serotonin transporter gene and combined type attention deficit hyperactivity disorder. *Am J Med Genet B Neuropsychiatr Genet.* 2008 Oct 5;147B(7):1306-9.

Zhou K, Dempfle A, Arcos-Burgos M, Bakker SC, Banaschewski T, Biederman J, Buitelaar J, Castellanos FX, Doyle A, Ebstein RP, Ekholm J, Forabosco P, Franke B, Freitag C, Friedel S, Gill M, Hebebrand J, Hinney A, Jacob C, Lesch KP, Loo SK, Lopera F, McCracken JT, McGough JJ, Meyer J, Mick E, Miranda A, Muenke M, Mulas F, Nelson SF, Nguyen TT, Oades RD, Ogdie MN, Palacio JD, Pineda D, Reif A, Renner TJ, Roeyers H, Romanos M, Rothenberger A, Schäfer H, Sergeant J, Sinke RJ, Smalley SL, Sonuga-Barke E, Steinhausen HC, van der Meulen E, Walitza S, Warnke A, Lewis CM, Faraone SV, Asherson P. Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder. *Am J Med Genet B Neuropsychiatr Genet.* 2008 Dec 5;147B(8):1392-8.

Zhou K, Chen W, Buitelaar J, Banaschewski T, Oades RD, Franke B, Sonuga-Barke E, Ebstein R, Eisenberg J, Gill M, Manor I, Miranda A, Mulas F, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Lasky-Su J, Taylor E, Brookes KJ, Xu X, Neale BM, Rijdsdijk F, Thompson M, Asherson P, Faraone SV. Genetic heterogeneity in ADHD: DAT1 gene only affects probands without CD. *Am J Med Genet B Neuropsychiatr Genet.* 2008 Dec 5;147B(8):1481-7.

Zhou K, Asherson P, Sham P, Franke B, Anney RJ, Buitelaar J, Ebstein R, Gill M, Brookes K, Buschgens C, Campbell D, Chen W, Christiansen H, Fliers E, Gabriëls I, Johansson L, Marco R, Mulas F, Müller U, Mulligan A, Neale BM, Rijdsdijk F, Rommelse N, Uebel H, Psychogiou L, Xu X, Banaschewski T, Sonuga-Barke E, Eisenberg J, Manor I, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Taylor E, Thompson M, Faraone SV. Linkage to chromosome 1p36 for attention-deficit/hyperactivity disorder traits in school and home settings.

*Biol Psychiatry.* 2008 Oct 1;64(7):571-6.

Zwirs BW, Burger H, Schulpen TW, Buitelaar JK. Developing a brief cross-culturally validated screening tool for externalizing disorders in children. *J Am Acad Child Adolesc Psychiatry.* 2008 Mar;47(3):309-16.